

兔抗 BMF 多克隆抗体

中文名称：兔抗 BMF 多克隆抗体

英文名称：Anti-BMF rabbit polyclonal antibody

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：BMF

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene belongs to the BCL2 protein family. BCL2 family members form hetero- or homodimers and act as anti- or pro-apoptotic regulators that are involved in a wide variety of cellular activities. This protein contains a single BCL2 homology domain 3 (BH3), and has been shown to bind BCL2 proteins and function as an apoptotic activator. This protein is found to be sequestered to myosin V motors by its association with dynein light chain 2, which may be important for sensing intracellular damage and triggering apoptosis. Alternatively spliced transcript variants encoding different isoforms have been identified.
Applications:	ELISA, WB, IHC
Name of antibody:	BMF
Immunogen:	Synthetic peptide of human BMF

Full name:	Bcl2 modifying factor
SwissProt:	Q96LC9
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and Human gastric cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	20 kDa
WB Positive control:	293T cell lysate
WB Recommended dilution:	500-2000



