

兔抗 FUT1 多克隆抗体

中文名称： 兔抗 FUT1 多克隆抗体

英文名称： Anti-FUT1 rabbit polyclonal antibody

别 名： H; HH; HSC

相关类别： 一抗

储 存： 冷冻 (-20°C)

宿 主： Rabbit

抗 原： FUT1

反应种属： Human


标 记 物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	This gene encodes a Golgi stack membrane protein that is involved in the creation of a precursor of the H antigen, which is required for the final step in the synthesis of soluble A and B antigens. This is one of two genes encoding the galactoside 2-L-fucosyltransferase enzyme. Mutations in this gene are a cause of the H-Bombay blood group.
Applications:	ELISA, WB, IHC
Name of antibody:	FUT1
Immunogen:	Synthetic peptide of human FUT1
Full name:	fucosyltransferase 1 (H blood group)
Synonyms:	H; HH; HSC
SwissProt:	P19526
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human esophagus cancer and Human cervical cancer

IHC Recommend dilution:	50-100
WB Predicted band size:	41 kDa
WB Positive control:	Human cerebella tissue, Human cerebrum tissue, Raji cell lysates
WB Recommended dilution:	500-2000





全国订货电话
4008-723-722